



POLYAMIDE CABLE GLAND

Technical Features:

IP Degree : IP68

Operating Temperature :-30 °C ,+80 °C

RAL : 7001, 7035, 9005

Material : PA 6


Standards : TS EN 62444, EN 60423

Range of Products;

- PG Type IP 68 polyamide cable gland
- Metric type IP 68 polyamide cable gland
- PG type IP 54 polimide blindstop
- IP 54 rubber blindstop
- PG type poliamide nuts
- Metric type poliamide nuts
- PG type IP 68 spiral cable glands
- Metric type IP 68 spiral cable glans
- Panel air flow blindstop
- IP 54 panel air flow equipment
- IP 54 drainage equipment


POLYAMIDE CABLE GLAND

PG TYPE IP 68 POLYAMIDE CABLE GLAND




RAL 7001 CODE	RAL 7035 CODE	RAL 9005 CODE	SIZE	A (mm)	B (mm)	C (mm)	D (mm)	E Diameter of Contraction (mm)	F (mm)	BOX/ CARTON
ONKA - 9000	ONKA - 9101	ONKA - 9102	PG-7	12,5	19	7,8	15	3 - 6	15	450 / 6750
ONKA - 9001	ONKA - 9111	ONKA - 9112	PG-9	15	22	8	19	4 - 8	19	300 / 4500
ONKA - 9002	ONKA - 9121	ONKA - 9122	PG-11	18,4	24	8	22	5 - 10	22	200 / 3000
ONKA - 9003	ONKA - 9131	ONKA - 9132	PG-13.5	20	27	10	24	6 - 12	24	175 / 2625
ONKA - 9004	ONKA - 9141	ONKA - 9142	PG-16	22	30	10	27	10 - 14	27	125 / 1875
ONKA - 9005	ONKA - 9151	ONKA - 9152	PG-21	28	36	11	33	13 - 18	33	75 / 1125
ONKA - 9006	ONKA - 9161	ONKA - 9162	PG-29	37	46	11	42	18 - 25	42	40 / 600
ONKA - 9007	ONKA - 9171	ONKA - 9172	PG-36	47	61	16,9	53	22 - 32	53,5	20 / 300
ONKA - 9008	ONKA - 9181	ONKA - 9182	PG-42	54	65	13,6	60	32 - 38	60	15 / 225
ONKA - 9009	ONKA - 9191	ONKA - 9192	PG-48	60	70	13,6	65	37 - 44	65,5	12 / 180


METRIC TYPE IP 68 POLYAMIDE CABLE GLAND



RAL 7001 CODE	RAL 7035 CODE	RAL 9005 CODE	SIZE	A (mm)	B (mm)	C (mm)	D (mm)	E Diameter of Contraction (mm)	F (mm)	BOX/ CARTON
ONKA - 9050	ONKA - 9201	ONKA - 9202	M 12 x 1.5	12	19	6,2	15	3 - 6,5	15	450 / 6750
ONKA - 9051	ONKA - 9211	ONKA - 9212	M 16 x 1.5	16	22	8,3	22	5 - 10	22	300 / 4500
ONKA - 9052	ONKA - 9221	ONKA - 9222	M 20 x 1.5	20	26	9,6	24	6 - 12	24	200 / 3000
ONKA - 9053	ONKA - 9231	ONKA - 9232	M 25 x 1.5	25	32	10,5	33	13 - 18	33	175 / 2625
ONKA - 9054	ONKA - 9241	ONKA - 9242	M 32 x 1.5	32	41	15,8	42	18 - 25	42	125 / 1875
ONKA - 9055	ONKA - 9251	ONKA - 9252	M 40 x 1.5	40	50	12,5	53	24 - 32	54	75 / 1125




PG TYPE IP 68 POLYAMIDE CABLE GLAND WITH O RING




RAL 7001 CODE	RAL 7035 CODE	RAL 9005 CODE	SIZE	A (mm)	B (mm)	C (mm)	D (mm)	E Diameter of Contraction (mm)	F (mm)	BOX/ CARTON
ONKA - 9058	ONKA - 9080	ONKA - 9123	PG-7	12,5	19	7,8	15	3 - 6	15	450 / 6750
ONKA - 9059	ONKA - 9081	ONKA - 9124	PG-9	15	22	8	19	4 - 8	19	300 / 4500
ONKA - 9060	ONKA - 9082	ONKA - 9125	PG-11	18,4	24	8	22	5 - 10	22	200 / 3000
ONKA - 9061	ONKA - 9083	ONKA - 9126	PG-13.5	20	27	10	24	6 - 12	24	175 / 2625
ONKA - 9062	ONKA - 9084	ONKA - 9127	PG-16	22	30	10	27	10 - 14	27	125 / 1875
ONKA - 9063	ONKA - 9085	ONKA - 9128	PG-21	28	36	11	33	13 - 18	33	75 / 1125
ONKA - 9064	ONKA - 9086	ONKA - 9129	PG-29	37	46	11	42	18 - 25	42	40 / 600
ONKA - 9065	ONKA - 9087	ONKA - 9130	PG-36	47	61	16,9	53	22 - 32	53	20 / 300
ONKA - 9066	ONKA - 9088	ONKA - 9133	PG-42	54	65	13,6	60	32 - 38	60	15 / 225
ONKA - 9067	ONKA - 9089	ONKA - 9134	PG-48	60	70	13,6	65	37 - 44	65,3	12 / 180

METRIC TYPE IP 68 POLYAMIDE CABLE GLAND WITH O RING



RAL 7001 CODE	RAL 7035 CODE	RAL 9005 CODE	SIZE	A (mm)	B (mm)	C (mm)	D (mm)	E Diameter of Contraction (mm)	F (mm)	BOX/ CARTON
ONKA - 9103	ONKA - 9113	ONKA - 9135	M 12 x 1.5	12	19	6,2	15	3 - 6,5	15	450 / 6750
ONKA - 9104	ONKA - 9114	ONKA - 9136	M 16 x 1.5	16	22	8,3	22	5 - 10	22	300 / 4500
ONKA - 9105	ONKA - 9115	ONKA - 9137	M 20 x 1.5	20	26	9,6	24	6 - 12	24	200 / 3000
ONKA - 9106	ONKA - 9116	ONKA - 9138	M 25 x 1.5	25	32	10,5	33	13 - 18	33	175 / 2625
ONKA - 9107	ONKA - 9117	ONKA - 9139	M 32 x 1.5	32	41	15,8	42	18 - 25	42	125 / 1875
ONKA - 9108	ONKA - 9118	ONKA - 9140	M 40 x 1.5	40	50	12,5	53	24 - 32	54	75 / 1125

PG TYPE IP 54 POLIAMIDE BLINDSTOP



Ral: 7001



Ral: 7035



Ral: 9005

DESCRIPTIONS

RAL 7001 CODE	RAL 7035 CODE	RAL 9005 CODE	SIZE	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	Q (mm)	Pcs. / Ad.
ONKA - 9090	ONKA - 9301	ONKA - 9302	PG-7	6,0	12,1	2,0	8,0	1,4	15,0	250
ONKA - 9091	ONKA - 9311	ONKA - 9312	PG-9	6,0	15,0	2,0	12,0	1,4	19,0	250
ONKA - 9092	ONKA - 9321	ONKA - 9322	PG-11	11,2	18,4	1,5	11,3	1,4	22,2	250
ONKA - 9093	ONKA - 9331	ONKA - 9332	PG-13.5	11,3	20,4	1,5	11,5	1,4	24,5	250
ONKA - 9094	ONKA - 9341	ONKA - 9342	PG-16	10,3	22,3	1,8	14,0	1,4	27,5	250
ONKA - 9095	ONKA - 9351	ONKA - 9352	PG-21	8,0	28,0	2,0	14,8	1,9	32,7	250
ONKA - 9096	ONKA - 9361	ONKA - 9362	PG-29	9,0	37,5	2,0	15,0	2,1	44,4	150
ONKA - 9097	ONKA - 9371	ONKA - 9372	PG-36	10,0	47,5	2,5	15,0	2,1	55,5	100

IP 54 RUBBER BLINDSTOP



CODE	SIZE	MOUNTING DIA C	Pcs. / Ad.
ONKA-9490	PG-13.5	17	100
ONKA-9491	PG-16	22.8	100
ONKA-9492	PG-21	28.6	100
ONKA-9493	PG-29	37.3	100
ONKA-9494	PG-36	47	100
ONKA-9495	PG-42	55	50

PG TYPE POLIAMIDE NUTS




Ral: 7001



Ral: 7035



Ral: 9005



RAL 7001 CODE	RAL 7035 CODE	RAL 9005 CODE	SIZE	A (mm)	T (mm)	Ø (mm)	Pcs. /Ad.
ONKA - 9070	ONKA - 9401	ONKA - 9402	PG-7	19,0	5,0	12,5	250
ONKA - 9071	ONKA - 9411	ONKA - 9412	PG-9	22,0	5,0	15,5	250
ONKA - 9072	ONKA - 9421	ONKA - 9422	PG-11	24,0	5,0	18,5	250
ONKA - 9073	ONKA - 9431	ONKA - 9432	PG-13.5	27,0	6,0	20,5	250
ONKA - 9074	ONKA - 9441	ONKA - 9442	PG-16	30,0	6,0	22,5	250
ONKA - 9075	ONKA - 9451	ONKA - 9452	PG-21	36,0	7,0	28,5	250
ONKA - 9076	ONKA - 9461	ONKA - 9462	PG-29	46,0	7,0	37,1	150
ONKA - 9077	ONKA - 9471	ONKA - 9472	PG-36	60,0	7,3	47,1	100
ONKA - 9078	ONKA - —	ONKA - —	PG-42	65,0	7,4	54,1	100
ONKA - 9079	ONKA - —	ONKA - —	PG-48	70	7,8	59,4	100

METRIC TYPE POLIAMIDE NUTS




Ral: 7001



Ral: 7035




Ral: 9005




RAL 7001 CODE	RAL 7035 CODE	RAL 9005 CODE	SIZE	A (mm)	T (mm)	Ø (mm)	Pcs. /Ad.
ONKA - 9010	ONKA - 9011	ONKA - 9012	M 12 x 1.5	19,0	5,0	12,0	250
ONKA - 9013	ONKA - 9014	ONKA - 9015	M 16 x 1.5	22,0	5,0	16,0	250
ONKA - 9016	ONKA - 9017	ONKA - 9019	M 20 x 1.5	26,0	5,0	20,0	250
ONKA - 9020	ONKA - 9021	ONKA - 9022	M 25 x 1.5	32,0	6,0	25,0	250
ONKA - 9023	ONKA - 9024	ONKA - 9025	M 32 x 1.5	42,0	7,0	32,0	250
ONKA - 9026	ONKA - 9027	ONKA - 9028	M 40 x 1.5	50,0	7,0	40,0	250

PG TYPE IP 68 SPIRAL CABLE GLANDS




COLOUR	PG CODE	PG SIZE	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	G (mm)	Pcs. /Ad.
 Ral: 7001	ONKA - 9275	PG 7	12,5	19,0	7,8	15,0	3-6	15,0	46,5	200
	ONKA - 9281	PG 11	18,4	25,0	8,0	22,0	5-10	22,0	68,0	100
	ONKA - 9284	PG 13.5	20,0	27,0	10,0	24,0	6-12	24,0	77,0	80
	ONKA - 9290	PG 21	28,0	36,0	11,0	33,0	13-18	33,0	107,0	30
 Ral: 7035	ONKA - 9276	PG 7	12,5	19,0	7,8	15,0	3-6	15,0	46,5	200
	ONKA - 9282	PG 11	18,4	25,0	8	22,0	5-10	22,0	68,0	100
	ONKA - 9285	PG 13.5	20,0	27,0	10,0	24,0	6-12	24,0	77,0	80
	ONKA - 9291	PG 21	28,0	36,0	11,0	33,0	13-18	33,0	107,0	30
 Ral: 9005	ONKA - 9277	PG 7	12,5	19,0	7,8	15,0	3-6	15,0	46,5	200
	ONKA - 9283	PG 11	18,4	25,0	8,0	22,0	5-10	22,0	68,0	100
	ONKA - 9286	PG 13.5	20,0	27,0	10,0	24,0	6-12	24,0	77,0	80
	ONKA - 9292	PG 21	28,0	36,0	11,0	33,0	13-18	33,0	107,0	30


METRIC TYPE IP 68 SPIRAL CABLE GLANDS



COLOUR	METRIC CODE	METRIC SIZE	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	G (mm)	Pcs. /Ad.
 Ral: 7001	ONKA - 9475	M 12 x 1.5	12,0	19,0	6,2	15,0	3-6	15,0	46,5	200
	ONKA - 9478	M 16 x 1.5	16,0	22,0	8,3	22,0	5-10	22,0	68,0	100
	ONKA - 9481	M 20 x 1.5	20,0	27,0	9,7	24,0	6-12	24,0	77,0	80
	ONKA - 9484	M 25 x 1.5	25,0	36,0	10,5	33,0	13-18	33,0	107,0	30
 Ral: 7035	ONKA - 9476	M 12 x 1.5	12,0	19,0	6,2	15,0	3-6	15,0	46,5	200
	ONKA - 9479	M 16 x 1.5	16,0	22,0	8,3	22,0	5-10	22,0	68,0	100
	ONKA - 9482	M 20 x 1.5	20,0	27,0	9,7	24,0	6-12	24,0	77,0	80
	ONKA - 9485	M 25 x 1.5	25,0	36,0	10,5	33,0	13-18	33,0	107,0	30
 Ral: 9005	ONKA - 9477	M 12 x 1.5	12,0	19,0	6,2	15,0	3-6	15,0	46,5	200
	ONKA - 9480	M 16 x 1.5	16,0	22,0	8,3	22,0	5-10	22,0	68,0	100
	ONKA - 9483	M 20 x 1.5	20,0	27,0	9,7	24,0	6-12	24,0	77,0	80
	ONKA - 9486	M 25 x 1.5	25,0	36,0	10,5	33,0	13-18	33,0	107,0	30




PANEL AIR FLOW EQUIPMENT




COLOUR	CODE	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	G (mm)	Pcs./Ad.
 Ral: 7001	ONKA - 9500	M 40 x 1.5	6,0	35,0	71,0	54,5	55,0	31,5	50
 Ral: 7035	ONKA - 9501	M 40 x 1.5	6,0	35,0	71,0	54,5	55,0	31,5	50
 Ral: 9005	ONKA - 9502	M 40 x 1.5	6,0	35,0	71,0	54,5	5,0	31,5	50

PANEL AIR FLOW BLINDSTOP



COLOUR	CODE	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	G (mm)	Pcs./Ad.
 Ral: 7001	ONKA - 9510	M 25 x 1.5	4,4	18,0	30,0	4,0	3,0	11	100
 Ral: 7035	ONKA - 9511	M 25 x 1.5	4,4	18,0	30,0	4,0	3,0	11	100
 Ral: 9005	ONKA - 9512	M 25 x 1.5	4,4	18,0	30,0	4,0	3,0	11	100

IP 54 DRAINAGE EQUIPMENT



COLOUR	CODE	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	G (mm)	Pcs./Ad.
 Ral: 7001	ONKA - 9520	23,0	22,8	17,0	10,5	5,0	4,0	14,5	100
 Ral: 7035	ONKA - 9521	23,0	22,8	17,0	10,5	5,0	4,0	14,5	100
 Ral: 9005	ONKA - 9522	23,0	22,8	17,0	10,5	5,0	4,0	14,5	100